## Upute za podešavanje programa Thunderbird za pristup novom e-mail sustavu

Bez obziran na odabrani jezik sve postavke se nalaze na istom mjestu.

U gornjem desnom kutu pristinite znak tri crtice.

😭 krunoslav.komugovic@math.hr					<b># 1</b>	- 🗆 X
🖵 Get Messages 🗸 🖋 Write	Chat 🖪 Address Book	🛛 🔊 Tag 🗸 🛛 🎖 Quick Filter		Search <ctrl+k></ctrl+k>		< =
<ul> <li>Iocal Folders</li> <li>Trash</li> <li>Outbox</li> </ul>	🖸 krunoslav.komu	govic@math.hr				Account Settings
	➡ Read messages	🖋 Write a new message	Q Search messages	<b>V</b> Manage message filters	₩ End-to-end Encryp	tion
	Set Up Another Acc	ount				
	🖾 Email	📅 Calendar	Address Boo	ok 📮 Chat	🍫 Filelink	
	Feeds	Newsgroups				
	Import from Anothe Thunderbird lets you imp and/or filters from other Import About Mozilla Thun Thunderbird is the leadin client, free for business a become even better. A d infrastructure, and contin	er Program port mail messages, address bo mail programs and common a derbird ng open source, cross-platform nd personal use. We want it to onation will allow us to hire de uue to improve.	ook entries, feed subscript ddress book formats. e email and calendaring stay secure and evelopers, pay for	ions, preferences, Thunderbird is funded by us consider making a donation. remains available is to <i>make a</i>	<b>ers like you! If you like 1</b> The best way for you to a <i>donation.</i>	<b>Fhunderbird, please</b> ensure Thunderbird
	Explore Features	② Support	: Involved 🍾 Deve	loper Documentation		
(••) krunoslav.komugovic@math.h	r: Downloading message 27 of	616 in Arpwatch-Profesorska				👍 Today Pane 🗸

Odaberite Account Settings (Postavke računa)

😭 krunoslav.komugovic@math.hr		<b>H</b>	- 🗆 ×					
🖵 Get Messages 🗸 🖋 Write	↓ Chat         ▲ Address Book         ▷ Tag ∨         ♥ Quick Filter         Search <ctrl+k></ctrl+k>		ର =					
<ul> <li>Krunoslav.koth.hr (* 201)</li> <li>Local Folders</li> <li>Trash</li> </ul>	💟 krunoslav.komugovic@math.hr	+ New Attachments	>					
画 Toshi ② Outbox	🖸 Read messages 🖋 Write a new message 🔍 Search messages 🛛 🏹 Manage message filters	Edit 🕺	Part ≥ >					
	Set Up Another Account	🗓 Empty Trash						
	🖸 Email 🛗 Calendar 🚺 Address Book 📿 Chat	Add-ons						
	Feeds Peeds	Customize	>					
	Import from Another Program	File View Go	>					
	Thunderbird lets you import mail messages, address book entries, feed subscriptions, preferences, and/or filters from other mail programs and common address book formats.	Message Events and Tasks	>					
	Import	Tools (?) Help	>					
	About Mozilla Thunderbird	<b>С</b> Exit						
	Thunderbird is the leading open source, cross-platform email and calendaring client, free for business and personal use. We want it to stay secure and become even better. A donation will allow us to hire developers, pay for infrastructure, and continue to improve.	s like you! If you like Thur he best way for you to ensu onation.	n <b>derbird, please</b> Jre Thunderbird					
	Resources							
	Support Get Involved P Developer Documentation							
(••) krunoslav.komugovic@math.h	nr: Downloading message 10 of 258 in Sent_2017	1	[ 🕌 Today Pane 🗸					

Odaberite Account Actions (Radnje računa)i iz izbornika Add Mail Account (Dodaj račun e-pošte).

krunoslav.komugovic@math.hr	Account	Settings	×		<b></b>	扫	-		$\times$
krunoslav.komugovic@math.hr      C krunoslav.komugovic@math.hr      Local Folders      Junk Settings      Disk Space      Outgoing Server (SN	e Account ic@mat MTP)	Junk Sett Selection <u> <u> </u><u>Enable</u> If enabled, y messages as able to mark</u>	x ings adaptiv ou mus junk o ; junk a	e junk mail controls for this account st first train Thunderbird to identify junk mail by using the Junk to r not. You need to identify both junk and non junk messages. Afte utomatically.	olbar but r that Th	tton to n	nark rd will t	be	×
		Do not □ Cc ✓ Pe	autom llected	atically mark mail as junk if the sender is in: Addresses Address Book					
		<u>T</u> rust ju If enabled, T	nk mail hunder	headers set by: SpamAssa V	classifie	r as junk	ζ.		
Add Mail Account	2	Destination	n and I	Retention					
Add Chat Account	2	<u>M</u> ove n	ew junl	k messages to:					
Add <u>F</u> eed Account Add <u>O</u> ther Account		• "Jun	" folde	er on: 🛅 Local Folders				~	
Set as <u>D</u> efault			r:	Choose Folder				~	
Remove Account Account Actions	~	1 Au	tomatio	cally delete junk mail older than 14 🔪 days					
	> ○ krunoslav.komugovic@math       Junk Settings         Junk Settings       Selection         Disk Space								
(•) krunoslav.komugovic@math.hr:	Downloading m	nessage 28 of 176 in	root				1		

Upišite svoje ime, prezime i mail adresu te odaberite opciju Configure manually

Se	Set Up Your Existing Email Address X					
	Set Up	Your Existing Email Address Use your current email address				
	Your <u>n</u> ame:	Krunoslav Komugović	()			
	<u>E</u> mail address:	krunoslav.komugovic@math.hr	()			
	Password:	Password	Ø			
		✓ Re <u>m</u> ember password				
e						
ſ						
	Configure <u>m</u> anually	C <u>a</u> ncel	<u>C</u> ontinue			

Pod Incoming Server upišite: outlook.office365.com

Pod Outgoing Server upišite: smtp.office365.com

Za username upišite svoj AAI@EduHr identitet

Kliknite na Re-test.

Nakon što se samopodese ostale stavke odaberite Advanced config

et Up Your Existing E	mail Address			×	<
S	et Up Your Existing Use your current er	<b>j Err</b> mail ac	nail Address		
Your <u>n</u> ame:	Krunoslav Komugovid	5		<b>(</b> )	
<u>E</u> mail address:	krunoslav.komugovic	@mat	h.hr	<b>i</b>	
<u>P</u> assword:	Password			Ø	
	✓ Re <u>m</u> ember passw	ord			
	INCOMING		OUTGOING		
Protocol:	IMAP	~	SMTP		1
Server: 1	outlook.office365.com		smtp.office365.com	~	
Port:	Auto	~	Auto	~	
SSL:	Autodetect	~	Autodetect	~	
Authentication:	Autodetect	~	Autodetect	~	
Username:	kkomugo.math@pmf.hr		kkomugo.math@pmf.hr		
2			4 Advanced co	nfig	
C <u>a</u> ncel			Re- <u>t</u> est Done	2	

Na pitanje želite li nastaviti odgovorite sa OK.

	Jasswulu	
Confirm Advanced Configuration		×
This dialog will be closed and an account wit configuration is incorrect. Do you want to pr	h the current settings will be created, even if the oceed? Cancel	

## Kliknite padajući izbornik pod stavkom Connection security i odaberite SSL/TLS

Server Set	tings							
Server Type:	IMAP Mail S	Server						
Server Name:	outlook.of	fice365	.com	Port:	: 143	Default: 143		
User <u>N</u> ame:	User Name: kkomugo.math@pmf.hr							
Security Sett	ings							
Connection se	ec <u>u</u> rity:	STAR	TTLS 🗸	1				
Authenticatio	n method <sup>.</sup>	None						
Mathentieutio	r method.	STAR	TTLS					
Server Settin	ngs	SSL/T	'LS	2				
✓ <u>C</u> heck for	new messa	ges at s	tartup					
Check for	new messa	ges eve	ery 10 🛟 minutes					
✓ Allo <u>w</u> imm	nediate serv	/er notif	fications when new mess	ages arriv	'e			
When I delete	a message:							
Move i	it to this fold	der:	🛍 Deleted Items o@r	nath.hr - C	D365 🗸			
🔵 Just ma	ar <u>k</u> it as dele	eted						
O Remov	e it imme <u>d</u> ia	ately						
							Ad <u>v</u> anced	

Iz padajućeg izbornika pod stavkom Authentication method odaberite OAuth2.

Server Settings			
Server Type: IMAP Mai	Server		
Server Name: outlook.	office365.com		Port: 143 Cefault: 143
User <u>N</u> ame: kkomug	o.math@pmf.hr		
Security Settings			
Connection sec <u>u</u> rity:	STARTTLS	~	
Authentication method	Normal password	~	
Server Settings	Normal password		
	Encrypted password		
Check for new mes	Kerberos / GSSAPI		
Check for new mes	<sup>sa</sup> NTLM	es	5
✓ Allo <u>w</u> immediate se	rv TLS Certificate	es	sages arrive
When I delete a messag	e: OAuth2		
• Move it to this fo	older: 🗅 Choose Fold	er 🗸	
Just mark it as defined as defined as defined as a set of the s	eleted		
Remove it imme	<u>d</u> iately		
			Ad <u>v</u> anced

## Sada nam još preostaje namjestiti postavke poslužitelja odlazne pošte. Odaberite Outgoing Server (SMTP)

> ☑ krunoslav.komugovic@mat ∨ ☑ krunoslav.komugovic@mat	Server Settings
Server Settings	Server Type: IMAP Mail Server
Copies & Folders	Server Name: outlook.office365.com Port: 993 C Default: 993
Composition & Addressing	User Name: kkomugo.math@pmf.hr
Junk Settings	
Synchronization & Storage	Security Settings
End-To-End Encryption	Connection cognities SSL/TLS
Return Receipts	Connection security. SSL/1LS
∽ 🛅 Local Folders	Authentication method: OAuth2 •
Junk Settings	
Disk Space	Server settings
🔁 Outgoing Server (SMTP)	Check for new messages at startup
L	Check for new messages every 10 📬 minutes
	$\checkmark$ Allow immediate server notifications when new messages arrive
	When I delete a message:
	● Move it to this folder: 📋 Deleted Items o@math.hr - O365 🐱
	$\bigcirc$ Just mark it as deleted
	Remove it immediately
	Advanced

## Odaberite server koji u sebi sadrži smtp.office365.com i kliknite na Edit

<ul> <li>➤ krunoslav.komugovic@mat</li> <li>➤ ☎ krunoslav.komugovic@mat</li> <li>Server Settings</li> <li>Copies &amp; Folders</li> </ul>	Outgoing Server (SMTP) Settings When managing your identities you can use a server from this list by selecting it as the Outgoing Server (S can use the default server from this list by selecting "Use Default Server".	MTP), or you	
Composition & Addressing Junk Settings Synchronization & Storage End-To-End Encryption Return Receipts	kkomugo - mail.math.hr (Default) kkomugo.math@pmf.hr - smtp.office365.com 1	Add Edit Remove	2
<ul> <li>✓ Elocal Folders         Junk Settings             Disk Space         </li> <li>Mutgoing Server (SMTP)</li> </ul>		Se <u>t</u> Default	

Pod stavkom Authentication method iz padajućeg izbornika ponovno odaberite OAuth2

SMTP Server					
Settings					
Description:					
<u>S</u> erver Name:	smtp.offic	No authentication			
Port:	587	Normal password			
		Encrypted password			
Security and A	Authentica	Kerberos / GSSAPI			
Co <u>n</u> nection sec	curity:	NTLM OAuth2			
Authent <u>i</u> cation	method:	Normal password	~		
User Na <u>m</u> e:		kkomugo.math@pmf.hr			
			OK	Cancel	
	3100113				

Poželjno je da odaberete novi SMTP server kao defaultni ukoliko ih imate više.

Kliknite na novi server (koji sadrži smtp.office365.com) i odaberite Set Default. Zatim ugasite prozor.

😭 sandro.manhart@math.hr	unt Settings X	
<ul> <li>✓ Sandro@math.hr</li> <li>Server Settings</li> <li>Copies &amp; Folders</li> <li>Composition &amp; Addressing</li> <li>Junk Settings</li> <li>Synchronization &amp; Storage</li> <li>End-To-End Encryption</li> <li>Return Receipts</li> <li>✓ C sandro.manhart@math.hr</li> <li>Server Settings</li> <li>Copies &amp; Folders</li> <li>Composition &amp; Addressing</li> <li>Junk Settings</li> <li>Synchronization &amp; Storage</li> <li>End-To-End Encryption</li> <li>Return Receipts</li> <li>✓ C sandro.manhart@math.hr</li> <li>Server Settings</li> <li>Copies &amp; Folders</li> <li>Composition &amp; Addressing</li> <li>Junk Settings</li> <li>Synchronization &amp; Storage</li> <li>End-To-End Encryption</li> <li>Return Receipts</li> <li>✓ Local Folders</li> <li>Junk Settings</li> <li>Disk Space</li> </ul>	wint Settings       3         Outgoing Server (SMTP) Settings       Mee managing your identities you can use a server from this list by selecting it as the Outgoing Server (SMTP), or can use the default server from this list by selecting "Use Default Server".         Sandro - mail.math.hr (Default)       Age         Sandro - mail.math.legomf.hr - smtp.office365.com       Age         1       Edi         Set De       2	you i t ove :fault
Outgoing Server (SMTP)	Details of selected server:         Description: <not specified="">         Server Name:       smtp.office365.com         Port:       587         User Name:       sandro.math@pmf.hr         Authentication method:       OAuth2         Connection Security:       STARTTLS</not>	

Sada nam još preostaje kliknuti na Inbox i logirati se sa svojim AAI@EduHr korisničkim podacima.



Ako vam se ne prikazuju svi sandučići možete ih dodati tako da prvo stisnete desni klik na na vašu email adresu te odaberete *Pretplati se....* 



Nakon toga odaberite sandučiće koje želite vidjeti te stisnite na *Pretplati se* te nakon toga pritisnite *U redu.* 

Pretplati se				×	
R <u>a</u> čun:	▶ nnikolic.phy@pmf.hr			~	
P <u>r</u> ikaži stavke koje sadrže:	Q				
<u>P</u> opis mapa					
Odaberite mape na koje se	želite pretplatiti:				
Contacts			^	<u>P</u> retplati se	ili Up
Conversation Histo	ry			<u>O</u> tkaži pretplatu	
Deleted Items				Osvieži	
				Stanı	-
🗂 Junk Email					sar
D Notes					
Dutbox					
RSS Feeds					
🛅 Sent Items		$\checkmark$	~		ita na feedo
			J redu	Odustani	
	O Mozilla Thund	lerbirdu			

Ako imate problema sa nalaželjem poslane pošte kliknite desni klik na vašu adresu i odaberite *Postavke.* 

<u>D</u> atoteka <u>U</u> redi Pogled Idi Poruka Alati <u>P</u> omoć									
$\boxtimes$	🕞 nnikolic.phy@pmf.	hr							
R	🖾 Dohvati poruke 🛛 🗸	🖉 🌶 Piši 🖉 Oznaka 🗸 👘 Brzo filtriranje							
	Mape	🖂 nnikolic.phy@pmf.hr							
V	Primljena poš	<u>D</u> ohvati poruke							
Ę.	<ul> <li>E Skice</li> <li>Sent Items</li> <li>Smeće</li> <li><b>Lokalne mape</b></li> <li>Smeće</li> <li>Smeće</li> <li>Odlazna pošta</li> </ul>	Otvori u novoj karticu       Otvori u novom prozoru       Pretraži poruke       Pretplati se       Nova mapa       Označi sve mape pročitanima							
		<u>P</u> ostavke							
		<b>Uvezi iz jednog drugog programa</b> Thunderbird omogućuje uvoz poruka e-pošte, kontakata adı filtera iz drugih programa za e-poštu kao i uobičajenih form:							

Nakon toga pod *Kopije i mape* kliknite na *Drugo* pod *Stavi kopiju poruke u:* i odaberite *Sent items* kao što je prikazano na slici te će vam sva poslava pošta biti u sandučiću *Sent items*.

<u>D</u> atoteka Uredi Pogled (di Poruka Alati <u>P</u> omoć											
$\boxtimes$	🔀 nnikolic.phy@pmf.hr	🖗 Postavke računa 🛛 🗙									
A											
8 8	<ul> <li>Postavke poslužitelja</li> </ul>	Kopije i mape	Kopije i mape								
	Kopije i mape	Prilikom slanja poruka, a	utomatski:								
Q	Sastavljanje i adresiranje	🗹 Stavi kopiju poruke u:									
	Postavke neželjene pošte Sinkronizacija i skladištenje Obostrano šifriranje Potvrde čitanja V 🗈 Lokalne mape Postavke neželjene pošte Diskovni prostor 🚱 Odlazni poslužitelj (SMTP)	🔵 Mapu "Po <u>s</u> lana pošta	" u: 🕞 nnikoli	c.phy@pmf.hr	$\sim$						
		O Drugo:	🔊 Sent It	ems na nnikolic.phy@pmf.hr	~						
		Stavi odgovore u ma	ou poru 🔄 nniko	olic.phy@pmf.hr	>	🖻 Primljena pošta					
			🖿 Loka	lne mape	>	E Skice					
		Stavi ove adrese e-pošte	u <u>C</u> C: Odvojite	adrese zarezom		🛷 Sent Items					
		Stavi ove adrese e-pošte	u <u>B</u> CC: Odvojite	adrese zarezom		🗑 Smeće					
		Ostavite polje za adresu pra	ek prikazali polje adrese prilikom započimanja nove poruke.								
	Arhiva poruka										
	🔽 Drži arhi <u>v</u> u poruka u:										
		🗿 Mapi "Arhiva" <u>u</u> :	🖹 nnikolic.phy@p	iikolic.phy@pmf.hr №							
		Drugo:	🗀 Odaberi direkti	orij	$\sim$						
					Mogućnosti <u>a</u> rhive						